

## **AMENDMENTS TO THE CLAIMS**

The following listing of claims will replace all prior versions, and listings, of claims in the application:

### **Listing of Claims:**

1        (Currently amended) A combined equipment selection system comprising:

        a plurality of user terminal devices each having an operation section and a display section and connected to a communication network and

        a host computer connected to said communication network for communicating with said plurality of user terminal devices and obtaining user information from said user terminal devices,

        said combined equipment selection system receiving service equipment information on a service equipment which a user wishes to use, entered by said user from said operation section of said user terminal device, selecting one or more other combined equipment which is different from said service equipment and is suitable for being combined with said service equipment based on said service equipment information, and displaying selection information on said combined equipment onto said display section of said user terminal device,

        wherein each of said plurality of user terminal devices includes:

                a ~~user information memory~~ means for storing said user information entered from said operation section,

a ~~constant data memory~~ means for storing constant data on said service equipment and said one or more other combined equipment,

a ~~combined equipment selection~~ means for carrying out a selection operation which selects as said selection information one or more other combined equipment which is different from said service equipment and is suitable for being combined with said service equipment, based on model information and operational conditions of said service equipment entered from said operation section, and said constant data which has been ~~stored in said constant data memory~~ means, and

a ~~selection information display control~~ means for requesting a display permission from said host computer for displaying said selection information selected by said ~~combined equipment selection~~ means for carrying out the selection operation onto said display section on condition that said user information and said selection information are transmitted to said host computer, and displaying said selection information onto said display section only when said display permission is obtained from said host computer; and

wherein said host computer includes ~~an information memory~~ a means for storing said user information and said selection information obtained from said user terminal device, and a ~~display permission transmission~~ means for transmitting said display permission to said user terminal device when said user information and said selection information are entered from said user terminal device.

2. (Currently amended) A combined equipment selection system comprising:
- a plurality of user terminal devices each having an operation section and a display section and connected to a communication network and
  - a host computer connected to said communication network for communicating with said plurality of user terminal devices and obtaining user information from said user terminal devices,
  - said combined equipment selection system receiving service equipment information on a service equipment which a user wishes to use, entered by said user from said operation section of said user terminal device, selecting one or more other combined equipment which is different from said service equipment and is suitable for being combined with said service equipment based on said service equipment information, and displaying selection information on said combined equipment onto said display section of said user terminal device,
  - wherein each of said plurality of user terminal devices includes:
    - a ~~user information memory~~ means for storing said user information entered from said operation section,
    - a ~~constant data memory~~ means for storing constant data on said service equipment and said one or more other combined equipment,
    - a ~~variable data memory~~ means for storing variable data out of data necessary for selecting said combined equipment, transmitted from said host computer via said communication network,

a ~~combined equipment selection~~ means for carrying out a selection operation which selects as said selection information one or more other combined equipment which is different from said service equipment and is suitable for being combined with said service equipment, based on model information and operational conditions of said service equipment entered from said operation section, said constant data stored in said constant data memory means and said variable data which has been ~~stored in said variable data memory~~ means, and

a ~~selection information display control~~ means for requesting a display permission from said host computer for displaying said selection information selected by said ~~combined equipment selection~~ means for carrying out the selection operation onto said display section on condition that said user information and said selection information are transmitted to said host computer; confirming whether or not said variable data are updated when said display permission is obtained from said host computer; and displaying said selection information onto said display section if said variable data are not updated, or displaying said selection information onto said display section after causing said combined equipment selection means to carry out again said selection operation if said variable data are updated, and

wherein said host computer includes ~~an information memory~~ a means for storing said user information and said selection information obtained from said user terminal device, and a ~~display permission transmission~~ means for transmitting

updated said variable data and said display permission to said user terminal device when said user information and said selection information are entered from said user terminal device.

3. (Currently amended) A combined equipment selection system comprising:

a plurality of user terminal devices each having an operation section and a display section and connected to a communication network and

a host computer connected to said communication network for communicating with said plurality of user terminal devices and obtaining user information from said user terminal devices,

said combined equipment selection system receiving service equipment information on a service equipment which a user wishes to use, entered by said user from said operation section of said user terminal device, selecting one or more other combined equipment which is different from said service equipment and is suitable for being combined with said service equipment based on said service equipment information, and displaying selection information on said combined equipment onto said display section of said user terminal device,

wherein each of said plurality of user terminal devices includes:

a ~~user information memory~~ means for storing said user information entered from said operation section,

a ~~constant data memory~~ means for storing constant data on said service equipment and said one or more other combined equipment,

~~a variable data memory~~ means for storing variable data out of data necessary for selecting said combined equipment, transmitted from said host computer via said communication network,

~~an update~~a means for receiving said variable data from said host computer on condition that said user information is transmitted to said host computer, and updating said variable data which has been stored in said variable data memory means,

~~a combined equipment selection~~ means for carrying out a selection operation which selects as said selection information one or more other combined equipment which is different from said service equipment and is suitable for being combined with said service equipment, based on model information and operational conditions of said service equipment entered from said operation section, said constant data stored in said constant data memory means and said variable data which has been ~~stored in said variable data memory~~ means, and

~~a selection information display control~~ means for requesting a display permission from said host computer for displaying said selection information selected by said ~~combined equipment selection~~ means for carrying out the selection operation onto said display section on condition that said selection information is transmitted to said host computer, and displaying said selection information onto said display section when said display permission is obtained from said host computer, and

wherein said host computer includes:

~~an information memory~~a means for storing said user information obtained from said user terminal device and said selection information, and

a display ~~permission transmission~~ means for transmitting updated said variable data to said user terminal device when only said user information is entered from said user terminal device, or transmitting said display permission to said user terminal device when said selection information is entered from said user terminal device.

4. (Currently amended) A combined equipment selection system comprising:

a plurality of user terminal devices each having an operation section and a display section and connected to a communication network and

a host computer connected to said communication network for communicating with said plurality of user terminal devices and obtaining user information from said user terminal devices,

said combined equipment selection system receiving service equipment information on a service equipment which a user wishes to use, entered by said user from said operation section of said user terminal device, selecting one or more other combined equipment which is different from said service equipment and is suitable for being combined with said service equipment based on said service equipment information, and displaying selection information on said combined equipment onto said display section of said user terminal device,

wherein each of said plurality of user terminal devices is so constructed as to perform:

a ~~user information memory~~ function for storing said user information entered from said operation section,

a ~~constant data memory~~ function for storing constant data on said service equipment and said one or more other combined equipment,

a ~~combined equipment selection~~ function for carrying out a selection operation which selects as said selection information one or more other combined equipment which is different from said service equipment and is suitable for being combined with said service equipment, based on model information and operational conditions of said service equipment entered from said operation section and said constant data, and

a ~~selection information display control~~ function for requesting a display permission from said host computer for displaying said selection information onto said display section on condition that said user information and said selection information are transmitted to said host computer, and displaying said selection information onto said display section only when said display permission is obtained from said host computer, and

wherein said host computer is so constructed as to perform:



~~an information memory~~a function for storing said user information and said selection information obtained from said user terminal device, and

a ~~display permission transmission~~function for transmitting said display permission to said user terminal device when said user information and said selection information are entered from said user terminal device.

5. (Currently amended) A combined equipment selection system comprising:

a plurality of user terminal devices each having an operation section and a display section and connected to a communication network and

a host computer connected to said communication network for communicating with said plurality of user terminal devices and obtaining user information from said user terminal devices,

said combined equipment selection system receiving service equipment information on a service equipment which a user wishes to use, entered by said user from said operation section of said user terminal device, selecting one or more other combined equipment which is different from said service equipment and is suitable for being combined with said service equipment based on said service equipment information, and displaying selection information on said combined equipment onto said display section of said user terminal device,

wherein each of said plurality of user terminal devices is so constructed as to perform:

~~a user information memory~~ function for storing said user information entered from said operation section,

~~a constant data memory~~ function for storing constant data on said service equipment and said one or more other combined equipment,

~~a variable data memory~~ function for storing variable data out of data necessary for selecting said combined equipment, transmitted from said host computer via said communication network,

~~a combined equipment selection~~ function for carrying out a selection operation which selects as said selection information one or more other combined equipment which is different from said service equipment and is suitable for being combined with said service equipment, based on model information and operational conditions of said service equipment entered from said operation section, said constant data and said variable data, and

~~a selection information display control~~ function for requesting a display permission from said host computer for displaying said selection information onto said display section on condition that said user information and said selection information are transmitted to said host computer; confirming whether or not said variable data are updated when said display permission is obtained from said host computer; and displaying said selection information onto said display section if said variable data are not updated, or displaying said selection information onto said display section after carrying out again

said ~~combined equipment selection function~~operation if said variable data are updated, and

wherein said host computer is so constructed as to perform

~~an information~~a memory function for storing said user information and said selection information obtained from said user terminal device, and

a ~~display permission transmission~~ function for transmitting updated said variable data and said display permission to said user terminal device when said user information and said selection information are entered from said user terminal device.

6. (Currently amended) A combined equipment selection system comprising:

a plurality of user terminal devices each having an operation section and a display section and connected to a communication network and

a host computer connected to said communication network for communicating with said plurality of user terminal devices and obtaining user information from said user terminal devices,

said combined equipment selection system receiving service equipment information on a service equipment which a user wishes to use, entered by said user from said operation section of said user terminal device, selecting one or more other combined equipment which is different from said service equipment and is suitable for being combined with said service equipment based on said service equipment

information, and displaying selection information on said combined equipment onto said display section of said user terminal device,

wherein each of said plurality of user terminal devices is so constructed as to perform:

a ~~user information memory~~ function for storing said user information entered from said operation section,

a ~~constant data memory~~ function for storing constant data on said service equipment and said one or more other combined equipment,

a ~~variable data memory~~ function for storing variable data out of data necessary for selecting said combined equipment, transmitted from said host computer via said communication network,

~~an update~~ function for receiving said variable data from said host computer on condition that said user information is transmitted to said host computer, and updating said variable data,

a ~~combined equipment selection~~ function for carrying out a selection operation which selects as said selection information one or more other combined equipment which is different from said service equipment and is suitable for being combined with said service equipment, based on model information and operational conditions of said service equipment entered from said operation section, said constant data and said variable data, and

a ~~selection information display control~~ function for requesting a display permission from said host computer for displaying said

selection information onto said display section on condition that said selection information is transmitted to said host computer, and displaying said selection information onto said display section when said display permission is obtained from said host computer, and wherein said host computer is so constructed as to perform:

~~an information memory~~a function for storing said user information and said selection information obtained from said user terminal device, and

a ~~display permission transmission~~function for transmitting updated said variable data to said user terminal device when only said user information is entered from said user terminal device, or transmitting said display permission to said user terminal device when said selection information is entered from said user terminal device.

7. (Currently amended) A program for a combined equipment selection system stored in a computer readable medium, being executed on a plurality of user terminal devices in said combined equipment selection system which comprises said plurality of user terminal devices each having an operation section and a display section and connected to a communication network, and a host computer connected to said communication network for communicating with said plurality of user terminal devices and obtaining user information from said user terminal devices, wherein said combined equipment selection system receives service equipment information on a service equipment which a user wishes to use, entered by said user from said operation section of said user terminal device, selects one or more other combined

equipment which is different from said service equipment and is suitable for being combined with said service equipment based on said service equipment information, and displays selection information on said combined equipment onto said display section of said user terminal device,

said program being so constructed as to perform:

a ~~user information memory~~ function for storing said user information entered from said operation section,

a ~~constant data memory~~ function for storing constant data on said service equipment and said one or more other combined equipment,

a ~~combined equipment selection~~ function for carrying out a selection operation which selects as said selection information one or more other combined equipment which is different from said service equipment and is suitable for being combined with said service equipment, based on model information and operational conditions of said service equipment entered from said operation section and said constant data, and

a ~~selection information display~~ function for requesting a display permission from said host computer for displaying said selection information onto said display section on condition that said user information and said selection information are transmitted to said host computer, and displaying said selection information onto said display section only when said display permission is obtained from said host computer.

8. (Currently amended) A program for a combined equipment selection system stored in a computer readable medium, being executed on a plurality of user terminal devices in said combined equipment selection system which comprises said plurality of user terminal devices each having an operation section and a display section and connected to a communication network, and a host computer connected to said communication network for communicating with said plurality of user terminal devices and obtaining user information from said user terminal devices, wherein said combined equipment selection system receives service equipment information on a service equipment which a user wishes to use, entered by said user from said operation section of said user terminal device, selects one or more other combined equipment which is different from said service equipment and is suitable for being combined with said service equipment based on said service equipment information, and displays selection information on said combined equipment onto said display section of said user terminal device,

said program being so constructed as to perform:

a ~~user information memory~~ function for storing said user information entered from said operation section,

a ~~constant data memory~~ function for storing constant data on said service equipment and said one or more other combined equipment,

a ~~variable data memory~~ function for storing variable data out of data necessary for selecting said combined equipment, transmitted from said host computer via said communication network,

a ~~combined equipment selection function~~ for carrying out a selection operation which selects as said selection information one or more other combined equipment which is different from said service equipment and is suitable for being combined with said service equipment, based on model information and operational conditions of said service equipment entered from said operation section, said constant data, and said variable data, and

a selection information display control function for requesting a display permission from said host computer for displaying said selection information onto said display section on condition that said user information and said selection information are transmitted to said host computer; confirming whether or not said variable data are updated when said display permission is obtained from said host computer; and displaying said selection information onto said display section if said variable data are not updated, or displaying said selection information onto said display section after carrying out again said ~~combined equipment selection function~~operation if said variable data are updated.

9. (Currently amended) A program for a combined equipment selection system stored in a computer readable medium, being executed on a plurality of user terminal devices in said combined equipment selection system which comprises said plurality of user terminal devices each having an operation section and a display section and connected to a communication network, and a host computer connected



to said communication network for communicating with said plurality of user terminal devices and obtaining user information from said user terminal devices, wherein said combined equipment selection system receives service equipment information on a service equipment which a user wishes to use, entered by said user from said operation section of said user terminal device, selects one or more other combined equipment which is different from said service equipment and is suitable for being combined with said service equipment based on said service equipment information, and displays selection information on said combined equipment onto said display section of said user terminal device,

said program being so constructed as to perform:

a ~~user information memory~~-function for storing said user information entered from said operation section,

a ~~constant data memory~~-function for storing constant data on said service equipment and said one or more other combined equipment,

a ~~variable data memory~~-function for storing variable data out of data necessary for selecting said combined equipment, transmitted from said host computer via said communication network,

~~an update~~a function for receiving said variable data from said host computer on condition that said user information is transmitted to said host computer, and updating said variable data,

a ~~combined equipment selection~~-function for carrying out a selection operation which selects as said selection information one or more other combined equipment which is different from said service

equipment and is suitable for being combined with said service equipment, based on model information and operational conditions of said service equipment entered from said operation section, said constant data, and said variable data, and

a ~~selection information display control~~ function for requesting a display permission from said host computer for displaying said selection information onto said display section on condition that said selection information is transmitted to said host computer, and displaying said selection information onto said display section when said display permission is obtained from said host computer.